

SPILL RESPONSE CONTACT SHEET

Required Notifications For Hazardous Substance or Oil Spills

USCG National Response Center.....	(800) 424-8802
In Oregon:	
Department of Emergency Management	(800) 452-0311
In Washington:	
Emergency Management Division.....	(800) 258-5990
Department of Ecology Northwest Regional Office.....	(425) 649-7000
Department of Ecology Southwest Regional Office.....	(360) 407-6300

U.S. Coast Guard

National Response Center	(800) 424-8802
Marine Safety Office Puget Sound:	
Watchstander	(206) 217-6232
Safety Office	(206) 217-6232
Marine Safety Office Portland:	
Watchstander	(503) 240-9301
Safety Office	(503) 240-9379
Pacific Strike Team	(415) 883-3311
District 13:	
MEP/drat	(206) 220-7210
Command Center	(206) 220-7001
Public Affairs	(206) 220-7237
Vessel Traffic Service (VTS)	(206) 217-6050

Environmental Protection Agency (EPA)

Region 10 Spill Response	(206) 553-1263
Washington Ops Office	(360) 753-9083
Oregon Ops Office	(503) 326-3250
Idaho Ops Office	(208) 334-1450
RCRA/ CERCLA Hotline	(800) 424-9346
Public Affairs	(206) 553-1203

National Oceanic Atmosphere Administration

Scientific Support Coordination	(206) 526-6829
Weather	(206) 526-6087

Canadian

Marine Emergency Ops/Vessel Traffic	(604) 666-6011
Environmental Protection	(604) 666-6100
B.C. Environment	(604) 356-7721

Department of Interior

Environmental Affairs	(503) 231-6157
	(503) 621-3682

U.S. Navy

Naval Shipyard	(360) 476-3466
Naval Base Seattle	(360) 315-5440
Supervisor of Salvage	(202) 695-0231

Army Corps of Engineers

Hazards to Navigation	(206) 764-3400
-----------------------	----------------

Jamestown S'Klallam Tribe

Tribal Office	(360) 683-1109
After Hours Emergencies	(360) 452-5150

Lower Elwha Klallam Tribe

Tribal Office	(360) 452-8471
After Hours Emergencies	(360) 417-2259

Makah Tribe

Tribal Office	(360) 645-2201
After Hours Emergencies	(360) 645-2701

Federal O.S.R.O./

State Approved Response Contractors

All Out Indust. & Env. Services	(360) 414-8655
Certified Cleaning Services, Inc.	(253) 536-5500
Clean Sound Cooperative, Inc.	(425) 783-0908
Cowlitz Clean Sweep, Inc.	(360) 423-6316
FOSS Environmental	(800) 337-7455
Global Diving and Salvage	(206) 623-0621
Guardian Industrial Services, Inc.	(253) 536-0455
Island Oil Spill Association	(360) 378-5322
Matrix Service, Inc.	(360) 676-4905
MSRC	(425) 252-1300
National Response Corporation	(206) 340-2772

Washington State

Department of Ecology Headquarters	(360) 407-6900
Southwest Region	(360) 407-6300
Northwest Region	(425) 649-7000
Central Region	(509) 575-2490
Eastern Region	(509) 456-2926

Department of Fish and Wildlife	(360) 534-8233
---------------------------------	-----------------------

Emergency Management Division	(360) 438-8639
	(800) 258-5990

State Patrol

Bellevue	(425) 455-7700
Tacoma	(253) 536-6210
Bremerton	(360) 478-4646

Oregon State

Department of Environmental Quality	(503) 229-5733
-------------------------------------	----------------

Emergency Management	(503) 378-6377
	(800) 452-0311

HOW TO USE THIS GEOGRAPHIC RESPONSE PLAN

Purpose of Geographic Response Plan (GRP)

This plan prioritizes resources to be protected and allows for immediate and proper action. By using this plan, the first responders to a spill can avoid the initial confusion that generally accompanies any spill.

Geographic Response Plans are used during the emergent phase of a spill which lasts from the time a spill occurs until the Unified Command is operating and/or the spill has been contained and cleaned up. Generally this lasts no more than 24 hours. The GRPs constitute the federal on-scene coordinators' and state on-scene coordinators' (Incident Commanders) "orders" during the emergent phase of the spill. During the project phase, the GRP will continue to be used, and the planned operation for the day will be found in the Incident Action Plan's Assignment List (ICS Form 204). The Assignment List is prepared in the Planning Section with input from natural resource trustees, the Incident Objectives (ICS Form 202), Operations Planning Worksheet (ICS Form 215), and Operations Section Chief.

Strategy Selection

Chapter 4 contains complete strategy descriptions in matrix form, response priorities, and strategy maps. The strategies depicted in Chapter 4 should be implemented as soon as possible, following the priority table in Section 2 with the "Potential Spill Origin" closest to the actual spill origin. These strategy deployment priorities may be modified by the Incident Commander(s) after reviewing on scene information, including: tides, currents, weather conditions, oil type, initial trajectories, etc.

It is assumed that control and containment at the source is the number one priority of any response. If, in the responder's best judgment, this type of response is infeasible then the priorities laid out in Chapter 4, Section 2 take precedence over containment and control.

It is important to note that strategies rely on the spill trajectory. A booming strategy listed as a high priority would not necessarily be implemented if the spill trajectory and booming location did not warrant action in that area. However, the priority tables should be followed until spill trajectory information becomes available, and modifications to the priority tables must be approved by the Incident Commander(s).

The strategies discussed in this GRP have been designed for use with persistent oils and may not be suitable for other petroleum or hazardous substance products. For hazardous substance spills, refer to the Northwest Area Contingency Plan, Chapter 7000.

Standardized Response Language

In order to avoid confusion in response terminology, this GRP uses standard National Interagency Incident Management System, Incident Command System (NIIMS, ICS) terminology and strategy names, which are defined in Appendix A, Table A-1 (e.g. diversion, containment, exclusion).

Record of Changes

[illegible]

Table of Contents

Spill Response Contact Sheet.....	i
How To Use This Geographic Response Plan.....	ii
Record of Changes	iii
1. Introduction: Scope of this Project.....	1-1
2. Site Description	
2.1 Physical Features.....	2-1
2.2 Hydrology	2-1
2.3 Currents and Tides	2-1
2.4 Winds	2-2
2.5 Climate	2-2
3. Reference Maps	
Strait of Juan de Fuca Key Map - Strategy Locations	3-1
4. General Protection/Collection Strategies	
4.1 Chapter Overview	4-1
4.2.1 Potential Spill Origins Map.....	4-2
4.2.2 Booming Strategy Priority Tables.....	4-3
4.3.1 Proposed Booming and Collection Strategies: Maps.....	4-8
4.3.2 Proposed Booming and Collection Strategies: Matrices.....	4-18
5. Shoreline Information (3/15/96 version)	
5.1 Shoreline Types and Sensitivity.....	5-1
5.2 Shoreline Type Maps	5-2
5.3 Oil Countermeasure Matrix (March 2003 version).....	5-12
6. Sensitive Resource Description (3/15/96 version)	
6.1 Fish and Wildlife.....	6-1
6.2 Other Resources	6-2
6.3 Flight Restriction Zones	6-3
6.4 Hazing	6-3
6.5 Flight Restriction Zones/ Sensitive Wildlife: Maps & Matrices	6-4
6.6 Fish and Shellfish Data	6-25
7. Logistical Information (3/15/96 version)	
7.1 Logistical Support	7-1
Appendices	
Appendix A: Summary of Protection Techniques	A-1
Appendix B: Original Geographic Response Plan Contributors.....	B-1
Appendix C: Geographic Response Plan Comments/Corrections/Suggestions.....	C-1

Strait of Juan de Fuca, Washington

GEOGRAPHIC RESPONSE PLAN

1. INTRODUCTION: SCOPE OF THIS PROJECT

Geographic Response Plans are intended to help the first responders to a spill avoid the initial confusion that generally accompanies any spill. This document serves as the federal and state on-scene-coordinators “orders” during a spill in the area covered by this GRP (see Chapter 3 for area covered). As such, it has been approved by the U.S. Coast Guard Marine Safety Office and the Washington State Department of Ecology Spills Program. Changes to this document are expected as more testing is conducted through drills, site visits, and actual use in spill situations. To submit comments, corrections, or suggestions please refer to Appendix C.

GRPs have been developed for the marine and inland waters of Washington, Oregon, and Idaho. They are prepared through the efforts and cooperation of the Washington Department of Ecology, Washington Department of Fish and Wildlife, Oregon Department of Environmental Quality, Idaho State Emergency Response Commission, the U.S. Coast Guard, the Environmental Protection Agency, tribes, other state and federal agencies, response organizations, and local emergency responders.

GRPs were developed through workshops involving federal, state, and local oil spill emergency response experts, response contractors, and representatives from tribes, industry, ports, environmental organizations, and pilots. Workshop participants identified resources which require protection, developed operational strategies, and pinpointed logistical support. A similar process has been used for major updates.

Following the workshops, the data gathered was processed and reproduced in the form of maps and matrices which appear in Chapters 4 through 6. The maps in Chapters 5 and 6 were generated using Canvas. Maps for Chapter 4 were generated using ArcView GIS. The matrices were created using MS Excel, and the balance of each GRP was produced using MS Word.

The first goal of a GRP was to identify, with the assistance of the Washington State Natural Resource Damage Assessment Team, resources needing protection; response resources (boom, boat ramps, vessels, etc.) needed, site access and staging, tribal and local response community contacts, and local conditions (e.g. physical features, hydrology, currents and tides, winds and climate) that may affect response strategies. Note that GRPs only address protection of sensitive **public** resources. It is the responsibility of private resource owners and/or potentially liable parties to address protection of private resources (such as commercial marinas, private water intakes, and non-release aquaculture facilities).

Secondly, response strategies were developed based on the sensitive resources noted, hydrology, and climatic considerations. Individual response strategies identify the amount of boom necessary for implementation. The response strategies are then applied to Potential Spill Origins and trajectory modeling, and prioritized, taking into account factors such as resource sensitivity, feasibility, wind, and tidal conditions.

Draft strategy maps and matrices were sent out for review and consideration of strategy viability. Field verification was conducted for some strategies, and changes proposed by the participants were included in a semi-final draft, which was offered for final review to all interested parties and the participants of the field verification.

Finally, the general text of the GRP was compiled along with the site description, reference maps, and logistical support.

Items included in Logistical Support:

- Location of operations center for the central response organization;
- Local equipment and trained personnel;
- Local facilities and services and appropriate contacts for each;
- Site access & contacts;
- Staging areas;
- Helicopter and air support;
- Local experts;
- Volunteer organizations;
- Potential wildlife rehabilitation centers;
- Marinas, docks, piers, and boat ramps;
- Potential interim storage locations, permitting process;
- Damaged vessel safehavens;
- Vessel repairs & cleaning;
- Response times for bringing equipment in from other areas.

2. SITE DESCRIPTION

The Strait of Juan de Fuca is located in the northwest corner of Washington State along the U.S./Canadian border. The Strait is a deep water body connecting the Pacific Ocean and the inland waters of Washington State.¹ It is generally divided into two subregions: the outer strait - west of Ediz Hook - and the inner strait.

The outer strait supports significant populations of groundfish, clams, shrimp, sea urchins, and Dungeness crab, as well as other fisheries resources. The inner strait is also very productive and species-rich area, supporting large populations of birds, mammals, fish, and shellfish. It is one of the major habitats for marine birds on the Pacific coast of North America. Local economies are based primarily on natural resource use and tourism.

Refer to Chapter 6 for more detailed natural resource information.

2.1. Physical Features

The two subregions of the Strait of Juan de Fuca may include the following shoreline habitats:

- Exposed rocky headlands
- Wave-cut platforms
- Pocket beaches along exposed rocky shores
- Sand beaches
- Sand and gravel beaches
- Sand and cobble beaches
- Exposed tidal flats
- Sheltered rocky shores
- Sheltered tidal flats
- Sheltered marshes

Two important features within the inner strait are Ediz Hook and Dungeness Spit. They are accreted gravel spits which protect embayments. The bay inside of Ediz Hook has been dominated by commercial activity from the Port Angeles harbor. Dungeness Spit and Bay are located inside a national wildlife refuge. Activities there include oyster-farming and recreation. The extensive tideflats in this area support a diverse body of marine organisms and shorebirds².

2.2. Hydrology

The Strait of Juan de Fuca is characterized hydrographically as a two-layer system. The upper 30 meter layer is relatively fresh water and the lower layer more saline. The Strait receives a large freshwater influx from the Fraser River and Puget Sound drainages. The two periods of high freshwater runoff occur during spring now melt and late fall and winter.³

¹ Kittle, L.J. , Marine Resource Damage Assessment Report for the Arco Anchorage Oil Spill. (1987).

² Ibid.

³ Ibid.

2.3. Currents and Tides

Tidal ranges average between four and ten feet producing strong tidal currents. Currents in the Strait may reach two to four knots, depending on tidal range and prevailing winds. North and west-facing shorelines along the Strait are subject to the largest waves and are high energy areas.⁴

2.4. Winds

The Strait of Juan de Fuca is affected by strong winds, most notably from the west. These winds occur when high pressure is pushing strongly behind the passage of a cold front from the west. The westerlies often reach gale force.

A strong east wind is possible when an Arctic cold front pushes south from interior British Columbia into Western Washington. These conditions may contribute to strong easterlies at certain times of year. These winds may also reach gale force.⁵

2.5. Climate

The area has a maritime climate with cool summers and mild winters. The winds are variable and the annual precipitation rate is between 18 and 50 inches.


⁴ Kittle, L.J. Marine Resource Damage Assessment Report for the Arco Anchorage Oil Spill. (1987).

⁵ Doug McDonnal, National Weather Service. Personal Communication. (1993)

Strait of Juan de Fuca GRP Key Map

Booming Strategy Locations

March, 2003



APPENDICES**Appendix A: Summary of Protection Techniques**

Protection Techniques	Description	Primary Logistical Requirements	Limitations
ONSHORE			
Beach Berms	A berm is constructed along the top of the mid-inter tidal zone from sediments excavated along the downgradient side. The berm should be covered with plastic or geo-textile sheeting to minimize wave erosion.	<ul style="list-style-type: none"> • Bulldozer/Motor grader -1 • Personnel - equipment operator & 1 worker • Misc. - plastic or geotextile sheeting 	<ul style="list-style-type: none"> • High wave energy • Large tidal range • Strong along shore currents
Geotextiles	A roll of geotextile, plastic sheeting, or other impermeable material is spread along the bottom of the supra-tidal zone & fastened to the underlying logs or stakes placed in the ground.	<ul style="list-style-type: none"> • Geotextile - 3 m wide rolls • Personnel - 5 • Misc. - stakes or tie-down cord 	<ul style="list-style-type: none"> • Low sloped shoreline • High spring tides • Large storms
Sorbent Barriers	A barrier is constructed by installing two parallel lines of stakes across a channel, fastening wire mesh to the stakes & filling the space between with loose sorbents.	Per 30 meters of barrier <ul style="list-style-type: none"> • Wire mesh - 70 m x 2 m • Stakes - 20 • Sorbents - 30 m² • Personnel - 2 • Misc. - fasteners, support lines, additional stakes, etc. 	<ul style="list-style-type: none"> • Waves > 25 cm • Currents > 0.5 m/s • Tidal range > 2 m
Inlet Dams	A dam is constructed across the channel using local soil or beach sediments to exclude oil from entering channel.	<ul style="list-style-type: none"> • Loader - 1 • Personnel - equipment operator & 1 worker or several workers w/shovels 	<ul style="list-style-type: none"> • Waves > 25 cm • Tidal range exceeding dam height • Freshwater outflow

NEARSHORE			
Containment Booming	Boom is deployed in a "U" shape in front of the oncoming slick. The ends of the booms are anchored by work boats or drogues. The oil is contained within the "U" & prevented from reaching the shore.	For 150 meters Slick: <ul style="list-style-type: none"> • Boom - 280 m • Boats - 2 • Personnel - boat crews & 4 boom tenders • Misc. - tow lines, drogues, connectors, etc. 	<ul style="list-style-type: none"> • High winds • Swells > 2 m • Breaking waves > 50 cm • Currents > 1.0 m/s
Exclusion Booming	Boom is deployed across or around sensitive areas & anchored in place. Approaching oil is deflected or contained by boom.	Per 300 meters of Boom <ul style="list-style-type: none"> • Boats - 1 • Personnel - boat crew & 3 boom tenders • Misc.- 6 anchors, anchor line, buoys, etc. 	<ul style="list-style-type: none"> • Currents > 0.5 m/s • Breaking waves > 50 cm • Water depth > 20 m
Deflection Booming	Boom is deployed from the shoreline away from the approaching slick & anchored or held in place with a work boat. Oil is deflected away from shoreline.	Single Boom, 0.75 m/s knot current <ul style="list-style-type: none"> • Boom - 60 m • Boats - 1 • Personnel - boat crew + 3 • Misc. - 3 anchors, line, buoys, recovery unit 	<ul style="list-style-type: none"> • Currents > 1.0 m/s • Breaking waves > 50 cm
Diversion Booming	Boom is deployed from the shoreline at an angle towards the approaching slick & anchored or held in place with a work boat. Oil is diverted towards the shoreline for recovery.	Single Boom, 0.75 m/s knot current <ul style="list-style-type: none"> • Boom - 60 m • boats - 1 • Personnel - boat crew + 3 • Misc. - 3 anchors, line, buoys, recovery unit 	<ul style="list-style-type: none"> • Currents > 1.0 m/s • Breaking waves > 50 cm
Skimming	Self-propelled skimmers work back & forth along the leading edge of a windrow to recover the oil. Booms may be deployed from the front of a skimmer in a "V" configuration to increase sweep width. Portable skimmers are placed within containment booms in the area of heaviest oil concentration.	Self-propelled (None) Towed <ul style="list-style-type: none"> • Boom - 200 m • Boats - 2 • Personnel - boat crews & 4 boom tenders • Misc. - tow lines, bridles, connectors, etc. Portable <ul style="list-style-type: none"> • Hoses - 30 m discharge • Oil storage - 2000 liters 	<ul style="list-style-type: none"> • High winds • Swells > 2 m • Breaking waves > 50 cm • Currents > 1.0 m/s

Appendix B: Original Geographic Response Plan Contributors**Local Representatives**

Bob Minty, Jefferson County DEM
Ed Bruette, Kitsap County DEM

Industry and Response Contractors

John Crawford, Foss Environmental
Bert Holmes, Puget Sound Pilots
Ken Florian, Puget Sound Pilots
Sven Eklof, Pacific Western Services
Bob Rome, Pacific Link Environmental
Erik Pratt, Clean Sound
Bob Wiechert, Clean Sound
Mike Rice, PTPC
Tommy Cook, Clean Sound
Alan Rayner, Clean Sound
Chris McCartan, Clean Sound
Roland Miller, Clean Sound
Teresa Hansen, Coe-Truman Technologies
Jim Haugen, MSRC
Lisa Stone, MSRC
Trip Ellison, Riedel Environmental Services

Federal Representatives

U.S. Navy
Hayden Street
K.V. Koellermeier
Greg Kaufman
Patricia McFadden
Roberta Beery

U.S. Fish and Wildlife Service

Ron Wong
Larry Telles

United States Coast Guard

Roald Bendixen
Craig Petersen
Bill Edgar
Len Radziwanowicz
Kristy Paquette

State Representatives

Office of Archeology and Historic Preservation
Rob Whitlam

Office of Marine Safety
Roy Robertson

Washington State Department of Ecology
Bruce Barbour
Brett Manning
Lin Bernhardt
Jim Oberlander
Hathor Woods
David Mora
Scott Zimmerman
Nancy Carroll

Washington Department of Fisheries
Brian Benson

Washington Department of Wildlife
Barry Troutman

Washington State Parks
Gus Gustafson
Mike Ramsey

Tribal Representatives
Steve Moddemyer, Port Gamble S'klallam
Ted George, S'Klallam Tribe

Other
Barbara Blowers, Puget Sound Solutions

Appendix C: Geographic Response Plan Comments/Corrections/Suggestions

If you have any questions regarding this document or find any errors, please notify one of the following agencies: or use tear out sheet (page C-3)

- Washington Department of Ecology, SPPR program, Natural Resources Unit
- USCG Marine Safety Office Puget Sound, Planning Department
- USCG Marine Safety Office Portland
- Oregon Department of Environmental Quality
- Idaho Emergency Response Commission
- Environmental Protection Agency Region 10

Phone Numbers:

Washington DOE	(360) 407-6972
USCG MSO Puget Sound	(206) 217-6213
USCG MSO Portland	(503) 240-9307
Oregon DEQ	(503) 229-5774
Idaho ERC	(208) 334-3263
EPA	(206) 553-6901

Bulletin Board System (BBS):

USCG MSO Puget Sound	(206) 217-6216
USCG MSO Portland	(503) 240-9308

Internet/E-mail Address:

WADOE	dald461@ecy.wa.gov
OR DEQ	WYLIE.Jack@deq.state.or.us
USCG MSO Puget Sound	jlehto@pacnorwest.uscg.mil
USCG MSO Portland	mwilcox@pacnorwest.uscg.mil
USEPA	sheldrake.beth@epamail.epa.gov

Address:

Commanding Officer United States Coast Guard MSO Puget Sound Planning Department 1519 Alaskan Way South Seattle, WA 98134-1192	Washington Department Of Ecology SPPR Program Natural Resources Unit P.O. Box 47600 Olympia, WA 98504-7600	Office Of The Governor Idaho Emergency Response Commission 1109 Main Statehouse Boise, ID 83720-7000
Commanding Officer United States Coast Guard Planning Department MSO Portland 6767 North Basin Ave Portland, OR 97217-3992	Oregon Department of Environmental Quality Water Quality Division 811 SW Sixth Avenue Portland, OR 97204	Environmental Protection Agency Emergency Response Branch 1200 Sixth Avenue Seattle, WA 98101

Geographic Response Plan**Comments/Corrections/Suggestions****Directions:**

Fill in your name, address, agency, and phone number. Fill in the blanks regarding the location of information in the plan being commented on. Make comments in the space provided. Add extra sheets as necessary. Submit to: Dale Davis

Department of Ecology
Spills Program
300 Desmond Drive
P.O. Box 47600
Olympia, WA 98504-7600
dald461@ecy.wa.gov

Name: _____	Title: _____	Agency: _____
Address: _____		
City: _____	State/Province: _____	Zip/Postal Code: _____
Phone: (____) _____	E-Mail: _____	

GRP: _____	Page Number: _____
Location on page (chapter, section, paragraph) (e.g. 2.1, paragraph 3): _____	

Comments: _____

Northwest Area Committee
c/o Washington Department of
Ecology
Spills Program
Natural Resources Unit - GRP
Corrections
P.O. Box 47600
Olympia, WA 98504-7600